

FIG. 1

Copyright © 1999




FIG._ 2




FIG._ 3




FIG._ 4




FIG._ 5

[illegible]

Details	
Time Stamp:	1999-10-25 14:21:47
Event Source Type:	NDS
Event Source Name:	LAB_TREE
Setting Name:	Object Create
Event Name:	DSE_CREATE_ENTRY
DN:	CN=User1.0=Hello
Class Name:	User
Perpetrator:	CN=admin.0=NetVision
Originating Server:	CN=LAB1_NW5.0=NetVision
Attribute Name:	
Attribute Value:	
<div>Close <<Previous Next>> Help</div>	

F 16 - 6

The screenshot shows the NetWare Administrator interface. The title bar reads "NetWare Administrator - [[Root]] (NVT52_TREE)". The menu bar includes "Object", "View", "Options", "Tools", "Window", and "Help". Below the menu is a toolbar with various icons. The main pane displays a tree structure starting with "[Root]". Under "[Root]", there is a folder icon for "NetVision". Under "NetVision", there is a folder icon for "NetVision Global Event Service", which is highlighted with a black background. Below this folder, a list of event service names is displayed, each preceded by a small icon: "DSE_ADD_VALUE", "DSE_CHECK_SEV", "DSE_CLOSE_STREAM", "DSE_CREATE_BINDERY_OBJECT", "DSE_CREATE_ENTRY", "DSE_DELETE_ATTRIBUTE", "DSE_DELETE_BINDERY_OBJECT", "DSE_DELETE_ENTRY", "DSE_DELETE_UNUSED_EXTREF", "DSE_DELETE_VALUE", "DSE_INVALID", "DSE_MOVE_DEST_ENTRY", "DSE_MOVE_SOURCE_ENTRY", "DSE_NCP_RETRY_EXPENDED", "DSE_REMOTE_CONN_CLEARED", "DSE_REMOTE_SERVER_DOWN", "DSE_RENAME_ENTRY", "DSE_SET_BINDERY_CONTEXT", "DSE_TRACE", "DSE_UPDATE_SEV", "NV_GLOBAL_CHAT", and "NV_LAUNCH_APPLICATION". At the bottom of the tree, there is a folder icon for "Global Event Service Administrator". The status bar at the bottom of the window reads "Tree: NVT52_TREE".

NetWare Administrator - [[Root]] (NVT52_TREE)

Object View Options Tools Window Help

[Root]

- NetVision
 - NetVision Global Event Service**
 - DSE_ADD_VALUE
 - DSE_CHECK_SEV
 - DSE_CLOSE_STREAM
 - DSE_CREATE_BINDERY_OBJECT
 - DSE_CREATE_ENTRY
 - DSE_DELETE_ATTRIBUTE
 - DSE_DELETE_BINDERY_OBJECT
 - DSE_DELETE_ENTRY
 - DSE_DELETE_UNUSED_EXTREF
 - DSE_DELETE_VALUE
 - DSE_INVALID
 - DSE_MOVE_DEST_ENTRY
 - DSE_MOVE_SOURCE_ENTRY
 - DSE_NCP_RETRY_EXPENDED
 - DSE_REMOTE_CONN_CLEARED
 - DSE_REMOTE_SERVER_DOWN
 - DSE_RENAME_ENTRY
 - DSE_SET_BINDERY_CONTEXT
 - DSE_TRACE
 - DSE_UPDATE_SEV
 - NV_GLOBAL_CHAT
 - NV_LAUNCH_APPLICATION
 - Global Event Service Administrator

Tree: NVT52_TREE

n 710

GES Event Container: NetVision Global Event Service

Identification

GES System Name:

Description:

Identification

Settings

Client List

OK Cancel Page Options... Help

FIG. - 8

GES Event Container: NetVision Global Event Service

Settings

Global Variables:

ClientNotificationInterval

JanitorUpdateInterval

RegistryUpdateInterval

SecurityLevel

ServerNotificationInterval

ShutDownFlag

Description

Current Value:

New Value

Identification

Settings

Client List

OK Cancel Page Options... Help

FIG. 9

1010

GES Event Container: NetVision Global Event Service

Client List

Registered Client List:

Event Name	Client DN	Host Serv
DSE_ADD_VALUE	CN=NW411_TS...	CN=NW4
DSE_CREATE_ENTRY	CN=NW411_TS...	CN=NW4
DSE_DELETE_ENTRY	CN=NW411_TS...	CN=NW4
DSE_DELETE_VALUE	CN=NW411_TS...	CN=NW4
DSE_MOVE_SOURC...	CN=NW411_TS...	CN=NW4
DSE_RENAME_ENTRY	CN=NW411_TS...	CN=NW4

Identification

Settings

Client List

OK Cancel Page Options... Help

FIG. - 10

1110

GES Event: DSE_ADD_VALUE

Identification

Event Name: DSE_ADD_VALUE

Description:

Identification

Status

IDL Defintion

Client List

Server List

Rights To Register For Event

Rights To Fire Event

OK Cancel Page Options... Help

FIG. 11

GES Event:DSE_ADD_VALUE

Client List

Registered Client List:


Client DN	Host Server DN
 CN=NW411_TS2.0=NetVision	CN=NW411_TS2.

FIG. 14

GES Event:DSE_ADD_VALUE

Server List

Registered Server List:


 NW411_TS2.NetVision

FIG. 15




FIG. 16




FIG. 17